

# **Anti-Hsp90 Monoclonal Antibody**

## ORDERING INFORMATION

Catalog No.: 11098 (clone H90-10))

Format: 100µg Protein G-purified antibody in PBS, pH 7.4.

# **BACKGROUND**

Hsp90 and the 94kDa glucose-regulated protein, Grp94, are major molecular chaperones of the cytosol and endoplasmic reticulum. In mammalian cells, there are at least two Hsp90 isoforms, Hsp90 $\alpha$  and Hsp90 $\beta$ , which are encoded by separate genes. All known members of the Hsp90 family are highly conserved, especially in the N-terminal and C-terminal regions. In the absence of stress, Hsp90 is an essential component of cellular processes such as hormone signaling and cell cycle control. Several regulatory proteins such as steroid receptors, cell cycle kinases and p53 have been identified as substrates of Hsp90.

# **SPECIFICATION SUMMARY**

**Antigen:** Recombinant human Hsp90β.

Gene ID: 3326

Accession no.: P08238 Host Species: Mouse Antibody Class: IgG2a


**Species Reactivity:** Human, mouse, rabbit, rat, dog, chicken, fish, shark.

Specificity: Detects 90kDa Hsp90β in all reactive species except chicken where it detects both

alpha and beta isoforms.


#### **APPLICATIONS**

*Immunoblotting*: use at 1-5ug/ml. A band of ~90kDa is detected.



Detection of Hsp90β in tumor cell lines and rat brain with #11098 at 1ug/ml.


Immunohistochemistry: use at 0.5-10ug/ml.



Detection of  $Hsp90\beta$  in human colon carcinoma with #11098 at 0.5ug/ml.



Detection of Hsp90 $\beta$  in HeLa cell lysate with #11098 at 1ug/ml.



Detection of Hsp90 $\beta$  in mouse skin with #11098 at 10 $\mu$ ml.

Phone: (800) 538-1145 Email: leincoglobal@leinco.com



# **Anti-Hsp90 Monoclonal Antibody**

## STORAGE AND STABILITY

This antibody is stable for at least one (1) year at -20°C to -70°C. Store product in appropriate aliquots to avoid multiple freeze-thaw cycles.

## **REFERENCES**

Barent RL et al. 1998 Mol Endocrinol 12: 342. Felts SJ et al. 2000 J Biol Chem 275: 3305. Arlander SJ et al. 2003 J Biol Chem 278: 52572.

For in vitro investigational use only. Not for use in therapeutic or diagnostic procedures.